



## Configuración Correo Entourage Mac OS X

1. Iniciar el programa, hacer clic en **Tools** seguido otro clic en **Accounts**.



2. Clic en **New**.



3. En el cuadro **Account Setup Asistan**, escriba el nombre que desea que aparezca en el destinatario.  
Al terminar haga clic en vínculo situado en la parte inferior derecha de la ventana.



The screenshot shows the 'Account Setup Assistant' window. The title bar reads 'Account Setup Assistant'. The main heading is 'Your Name'. Below the heading, there is a text box with the name 'Soporte' entered. The text 'Your name:' is to the left of the text box. Below the text box, it says 'For example: John Smith'. At the bottom of the window, there is a button labeled 'Configure account manually' and a navigation bar with a left arrow, the number '1', and a right arrow. The text 'Click the right arrow to continue.' is visible above the navigation bar.

4. Escriba su dirección de correo completa, al terminar haga clic en vínculo situado en la parte inferior derecha de la ventana.



The screenshot shows the 'Account Setup Assistant' window. The title bar reads 'Account Setup Assistant'. The main heading is 'Your E-mail Address'. Below the heading, there is a text box with the email address 'soportecorp@datamarkets.com.ar' entered. The text 'Your e-mail address is the address other people will use to send messages to you.' is above the text box. Below the text box, it says 'For example: someone@microsoft.com'. There are two radio buttons: the first is selected and labeled 'I already have an e-mail address that I'd like to use.', and the second is unselected and labeled 'I'd like to sign up for an account from Hotmail.'. At the bottom of the window, there is a button labeled 'Configure account manually' and a navigation bar with a left arrow, the number '2', and a right arrow. The text 'Click the right arrow to continue.' is visible above the navigation bar.

5. En el espacio correspondiente a Servidor de correo entrante escriba: **pop3.datamarkets.com.ar**. En el de Servidor de correo saliente escriba:

smtp.datamarkets.com.ar. Al terminar haga clic en vínculo situado en la parte inferior derecha de la ventana.




The screenshot shows the 'Account Setup Assistant' window with the 'Mail Servers' tab selected. The window title is 'Account Setup Assistant'. Below the title bar, there is a 'Mail Servers' header with a small icon. The main text reads: 'Entourage supports several protocols for receiving messages. Select the type of server you use to receive messages. Your Internet service provider can give you this information.' Below this, there is a dropdown menu for 'My incoming mail server is a(n)' set to 'POP' and a 'server.' label. Two text input fields are present: 'Incoming mail server:' with the value 'pop3.datamarkets.com.ar' and 'Outgoing (SMTP) mail server:' with the value 'smtp.datamarkets.com.ar'. At the bottom, there is a 'Configure account manually' button and a navigation bar with a left arrow, the number '3', and a right arrow. The instruction 'Click the right arrow to continue.' is displayed above the navigation bar.

6. Escriba el nombre de su cuenta y contraseña, al terminar haga clic en vínculo situado en la parte inferior derecha de la ventana




The screenshot shows the 'Account Setup Assistant' window with the 'Account ID and Password' tab selected. The window title is 'Account Setup Assistant'. Below the title bar, there is an 'Account ID and Password' header with a small icon. The main text reads: 'Please type the account ID and password your Internet service provider has given you.' Below this, there is a text input field for 'Account ID:' with the value 'soportecorp'. A note follows: 'Note: The account ID is not your e-mail address. Typically, it is the text in your e-mail address before the at sign (@)'. Below that is a password input field for 'Password:' with masked characters. A checkbox labeled 'Save password in my Mac OS keychain' is checked. Another note follows: 'Note: To receive messages without entering your password each time, select the Save password check box.' At the bottom, there is a 'Configure account manually' button and a navigation bar with a left arrow, the number '4', and a right arrow. The instruction 'Click the right arrow to continue.' is displayed above the navigation bar.

7. Escriba el nombre que desea que aparezca en la ventana **Accounts**, para poder distinguir la cuenta. Clic en **Finish**.



8. Una vez seleccionada la cuenta haga clic en **Edit**.



9. Haga clic [here](#) for advanced sending options.

Account name: Soporte

Include this account in my "Send & Receive All" schedule

**Personal information**

Name: Soporte

E-mail address: soportecorp@datamarkets.com.ar

**Receiving mail**

Account ID: soportecorp

POP server: pop3.datamarkets.com.ar

Password: [redacted]

Save password in my Mac OS keychain

[Click here for advanced receiving options](#)

**Sending mail**

SMTP server: smtp.datamarkets.com.ar

[Click here for advanced sending options](#)

Cancel OK

10. Tildar la opción **SMTP server requires authentication**.
11. Para salir clic en la parte superior izquierda. Clic en **OK** en la parte inferior de la ventana **Edit Account**.

SMTP service requires secure connection (SSL)

Override default SMTP port:

SMTP server requires authentication

Use same settings as receiving mail server

Log on using

Account ID:

Password:

Save password in my Mac OS keychain

Domain for unqualified addresses: